




T-80H Cargo lane with lift



suitable for
cutting tools



can be used
together



A single cabinet
can manage
80 varieties



A single cabinet can
manage 1280 pieces
of materials

32inch touch screen operation

High-definition touch
screen, easy and fast
operation environment

Humanized retrieving

High-speed
pick-up &
middle pick-up,
no need to
squat down
to pick up



Swipe card/ code reading module

Not afraid of oil pollution,
realize authority management

Print barcode area

For retroactive tool recycling

Quick recovery area


The waste area is separated
from the secondary recycling
area, and the tools to be
regreinded and scrapped
are accurately screened out,
effectively improving the
utilization rate of tools.

| Basic Information | Measured indicators | before use | After use |
|--|-------------------------------|----------------|-----------------|
| Size: 1150X920X1950mm (Contains feet) | Picking time | 5min | 30s |
| Weight: 300KG | Peak waiting time | 30min | 3min |
| Color: Black (customizable) | Error, miss rate | 5-20% | 0 |
| Cargo lane type: 8 floors*10 lanes*16 compartments (standard size, can be customized) | Shortage rate | 5-20% | 0 |
| Receiving system: optional card swiping, face recognition | Inventory Status Inquiry | 3-5min | 30s |
| | Report submission | 1-2working day | 2min |
| | Inventory | - | 5-25% drop |
| | Consumption | - | 5-15% drop |
| | Monitoring of sluggish goods | uncontrollable | controllable |
| | Product Cost Allocation | Not clear | precisely |
| | Warehouse material management | easy backlog | rationalization |
| Manageable Variety and Quantity | | | |
| Materials: Cutting tools including inserts, milling cutters, drills and taps | | | |
| Most varieties: 80 kinds | | | |
| Max quantity: 1280 (standard) | | | |


T-60H Cargo lane with lift



suitable for
cutting tools



can be used
together



A single cabinet
can manage
60 varieties



A single cabinet can
manage 960 pieces
of materials

HD camera

Face recognition,
real-time monitoring
of tool storage
and removal

Double tempered glass

Double-layer
defogging
ensures that the
product is clearly
visible and
can resist
external impact

Visual access process

Intuitively display the
process of receiving
materials, and
inventory
replenishment is clear
at a glance



21.5 inch touch screen operation

High-definition touch
screen, easy and fast
operation environment

Swipe card/ code reading module


Not afraid of oil pollution,
realize authority
management

Quick recovery area


The waste area is
separated from the
secondary recycling
area, and the tools
to be regrinded
and scrapped
are accurately s
creened out,
effectively improving
the utilization
rate of tools.

| Basic Information | Measured indicators | before use | After use |
|--|-------------------------------|----------------|-----------------|
| Size: 1240X900X1820mm (Contains feet) | Picking time | 5min | 30s |
| Weight: 250KG | Peak waiting time | 30min | 3min |
| Color: Black (customizable) | Error, miss rate | 5-20% | 0 |
| Cargo lane type: 6 floors*10 lanes*16 compartments (standard size, can be customized) | Shortage rate | 5-20% | 0 |
| Receiving system: optional card swiping, | Inventory Status Inquiry | 3-5min | 30s |
| | Report submission | 1-2working day | 2min |
| | Inventory | - | 5-25% drop |
| | Consumption | - | 5-15% drop |
| | Monitoring of sluggish goods | uncontrollable | controllable |
| | Product Cost Allocation | Not clear | precisely |
| | Warehouse material management | easy backlog | rationalization |
| Manageable Variety and Quantity | | | |
| Materials: Cutting tools including inserts, milling cutters, drills and taps | | | |
| Most varieties: 60 kinds | | | |
| Max quantity: 960 (standard) | | | |


T-40 Cargo lane




suitable for
cutting tools



can be used
together



A single cabinet
can manage
40 varieties




A single cabinet can
manage 560 pieces
of materials

Double tempered glass

Double-layer defogging ensures that the product is clearly visible and can resist external impact

Visual access process

Intuitively display the process of receiving materials, and inventory replenishment is clear at a glance



15inch touch screen operation

High-definition touch screen, easy and fast operation environment

Swipe card/ code reading module


Not afraid of oil pollution, realize authority management

Quick recovery area

The waste area is separated from the secondary recycling area, and the tools to be regrinded and scrapped are accurately screened out, effectively improving the utilization rate of tools.

| Basic Information | Measured indicators | before use | After use |
|--|-------------------------------|----------------|-----------------|
| Size: 900*800*1530mm (Contains feet) | Picking time | 5min | 30s |
| Weight: 180KG | Peak waiting time | 30min | 3min |
| Color: White and blue (customizable) | Error, miss rate | 5-20% | 0 |
| Cargo lane type: 5 floors*8 lanes*14 compartments (standard size, can be customized) | Shortage rate | 5-20% | 0 |
| Receiving system: optional card swiping, | Inventory Status Inquiry | 3-5min | 30s |
| | Report submission | 1-2working day | 2min |
| | Inventory | - | 5-25% drop |
| | Consumption | - | 5-15% drop |
| | Monitoring of sluggish goods | uncontrollable | controllable |
| | Product Cost Allocation | Not clear | precisely |
| | Warehouse material management | easy backlog | rationalization |
| Manageable Variety and Quantity | | | |
| Materials: Cutting tools including inserts, milling cutters, drills and taps | | | |
| Most varieties: 40 kinds | | | |
| Max quantity: 560 (standard) | | | |

T-GZ lattice cabinet



Suitable for most categories of MRO

Multiple cabinets can be connected in parallel

Single cabinet can manage multiple varieties

Randomly allocate cells


T-GZ lattice cabinet

T-GZF deputy lattice cabinet

21.5 inch touch screen operation
High-definition touch screen, easy and fast operation environment.

Visual access process
Visually display the received materials, and the process of inventory replenishment is clear at a glance.

Automatic door opening
The transparent door will open automatically.



Basic information of the main cabinet

Product Size: 1750*1288*490mm (Contains feet)
Product color: black and white (customizable) Product weight:190kg
Number of grids: 36 grids (customizable)
Grid size: 162*148mm(S) 162*300mm(M) 162*400mm(L)

Basic information of the auxiliary cabinet

Product Size: 1750*1288*490mm (Contains feet)
Product color: black and white (customizable) Product weight:180kg
Number of grids: 40 grids (customizable)
Grid size: 162*148mm(S) 162*300mm(M) 162*400mm(L)


Basic skills

Login method: account password, credit card login, face recognition
Receiving function: select the material, open the grid
Storage function: random allocation of storage cells
Permission settings: different personnel, different permissions, custom settings
Material track: display the material receiving track at any time, easy to find
Intelligent report: data recording, report analysis
Applicable scenarios: suitable for material management with large size and repeated use


T-GZC lattice cabinet




Suitable for most categories of MRO



Multiple cabinets can be connected in parallel



Single cabinet can manage multiple varieties



Randomly allocate cells

T-GZC cabinet

T-GZFC deputy lattice cabinet

21.5 inch touch screen operation

High-definition touch screen, easy and fast operation environment

Swipe card/ code reading module

Not afraid of oil pollution, realize authority management



Automatic door opening

The transparent door will open automatically.

Basic information

Size:1407X400X1850mm (Contains feet)

Weight:180KG

Number of grids: 89 grids (customizable)

Grid size: 113*140mm (S) 244*140mm (M) 233*326mm (L)

Receiving system:optional card swiping

Optional features:

Unlimited expansion, multiple network operation

System docking, specific list collection

Basic skills

Login method: account password, credit card login, face recognition

Receiving function: select the material, open the grid

Storage function: random allocation of storage cells

Permission settings: different personnel, different permissions, custom settings

Material track: display the material receiving track at any time, easy to find

Intelligent report: data recording, report analysis

Applicable scenarios: suitable for material management with large size and repeated use